

RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/532,480
Source: PT/10
Date Processed by STIC: 5/3/05

ENTERED



PCT

RAW SEQUENCE LISTING

DATE: 05/03/2005

PATENT APPLICATION: US/10/532,480

TIME: 13:32:22

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

3 <110> APPLICANT: Garry, Jr., Robert F.
 4 McKeating, Jane A.
 5 Dash, Srikanta
 6 Coy, David H.
 8 <120> TITLE OF INVENTION: FLAVIVIRUS FUSION INHIBITORS
 10 <130> FILE REFERENCE: 12920.0014.00PC00 (TUMC014P)
 C--> 12 <140> CURRENT APPLICATION NUMBER: US/10/532,480
 C--> 13 <141> CURRENT FILING DATE: 2005-04-22
 15 <150> PRIOR APPLICATION NUMBER: 60/424,746
 16 <151> PRIOR FILING DATE: 2002-11-08
 18 <160> NUMBER OF SEQ ID NOS: 65
 20 <170> SOFTWARE: PatentIn version 3.2
 22 <210> SEQ ID NO: 1
 23 <211> LENGTH: 30
 24 <212> TYPE: PRT
 25 <213> ORGANISM: Artificial Sequence
 27 <220> FEATURE:
 28 <223> OTHER INFORMATION: Synthetic Peptide
 30 <220> FEATURE:
 31 <221> NAME/KEY: MOD_RES
 32 <222> LOCATION: (1)..(1)
 33 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
 group or
 34 is modified to contain one of the following groups: acetyl,
 35 hydrophobic, macromolecular, carbobenzoxy, dansyl,
 36 t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
 38 <220> FEATURE:
 39 <221> NAME/KEY: MOD_RES
 40 <222> LOCATION: (30)..(30)
 41 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
 42 group or one of the following groups: amido, hydrophobic,
 43 macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
 44 carbohydrate
 46 <400> SEQUENCE: 1
 48 Tyr Gln Val Arg Asn Ser Ser Gly Leu Tyr His Val Thr Asn Asp Cys
 49 1 5 10 15
 51 Pro Asn Ser Ser Ile Val Tyr Glu Ala Ala Asp Ala Ile Leu
 52 20 25 30
 55 <210> SEQ ID NO: 2
 56 <211> LENGTH: 34
 57 <212> TYPE: PRT
 58 <213> ORGANISM: Artificial Sequence
 60 <220> FEATURE:
 61 <223> OTHER INFORMATION: Synthetic Peptide

RAW SEQUENCE LISTING

DATE: 05/03/2005

PATENT APPLICATION: US/10/532,480

TIME: 13:32:22

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

```

63 <220> FEATURE:
64 <221> NAME/KEY: MOD_RES
65 <222> LOCATION: (1)..(1)
66 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
group or
67     is modified to contain one of the following groups: acetyl,
68     hydrophobic, macromolecular, carbobenzoxy, dansyl,
69     t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
71 <220> FEATURE:
72 <221> NAME/KEY: MOD_RES
73 <222> LOCATION: (34)..(34)
74 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
75     group or one of the following groups: amido, hydrophobic,
76     macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
77     carbohydrate
79 <400> SEQUENCE: 2
81 Cys Ser Ala Leu Tyr Trp Val Gly Asp Leu Cys Gly Ser Val Phe Leu
82 1           5           10           15
84 Val Gly Gln Leu Phe Thr Phe Ser Pro Arg Arg His Trp Thr Thr Gln
85           20           25           30
87 Asp Cys
91 <210> SEQ ID NO: 3
92 <211> LENGTH: 36
93 <212> TYPE: PRT
94 <213> ORGANISM: Artificial Sequence
96 <220> FEATURE:
97 <223> OTHER INFORMATION: Synthetic Peptide
99 <220> FEATURE:
100 <221> NAME/KEY: MOD_RES
101 <222> LOCATION: (1)..(1)
102 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
group or
103     is modified to contain one of the following groups: acetyl,
104     hydrophobic, macromolecular, carbobenzoxy, dansyl,
105     t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
107 <220> FEATURE:
108 <221> NAME/KEY: MOD_RES
109 <222> LOCATION: (36)..(36)
110 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
111     group or one of the following groups: amido, hydrophobic,
112     macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
113     carbohydrate
115 <400> SEQUENCE: 3
117 Ser Pro Arg Arg His Trp Thr Thr Gln Asp Cys Asn Cys Ser Ile Tyr
118 1           5           10           15
120 Pro Gly His Ile Thr Gly His Arg Met Ala Trp Asp Met Met Met Asn
121           20           25           30
123 Trp Ser Pro Thr
124           35
127 <210> SEQ ID NO: 4
128 <211> LENGTH: 42

```

RAW SEQUENCE LISTING

DATE: 05/03/2005

PATENT APPLICATION: US/10/532,480

TIME: 13:32:22

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

129 <212> TYPE: PRT
 130 <213> ORGANISM: Artificial Sequence
 132 <220> FEATURE:
 133 <223> OTHER INFORMATION: Synthetic Peptide
 135 <220> FEATURE:
 136 <221> NAME/KEY: MOD_RES
 137 <222> LOCATION: (1)..(1)
 138 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
 group or
 139 is modified to contain one of the following groups: acetyl,
 140 hydrophobic, macromolecular, carbobenzoxyl, dansyl,
 141 t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
 143 <220> FEATURE:
 144 <221> NAME/KEY: MOD_RES
 145 <222> LOCATION: (42)..(42)
 146 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
 147 group or one of the following groups: amido, hydrophobic,
 148 macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
 149 carbohydrate
 151 <400> SEQUENCE: 4
 153 Met Met Met Asn Trp Ser Pro Thr Ala Ala Leu Leu Arg Ile Pro Gln
 154 1 5 10 15
 156 Ala Ile Met Asp Met Ile Ala Gly Ala His Trp Gly Val Leu Ala Gly
 157 20 25 30
 159 Ile Lys Tyr Phe Ser Met Val Gly Asn Trp
 160 35 40
 163 <210> SEQ ID NO: 5
 164 <211> LENGTH: 30
 165 <212> TYPE: PRT
 166 <213> ORGANISM: Artificial Sequence
 168 <220> FEATURE:
 169 <223> OTHER INFORMATION: Synthetic Peptide
 171 <220> FEATURE:
 172 <221> NAME/KEY: MOD_RES
 173 <222> LOCATION: (1)..(1)
 174 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
 group or
 175 is modified to contain one of the following groups: acetyl,
 176 hydrophobic, macromolecular, carbobenzoxyl, dansyl,
 177 t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
 179 <220> FEATURE:
 180 <221> NAME/KEY: MOD_RES
 181 <222> LOCATION: (30)..(30)
 182 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
 183 group or one of the following groups: amido, hydrophobic,
 184 macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
 185 carbohydrate
 187 <400> SEQUENCE: 5
 189 Arg Val Thr Asp Pro Asp Thr Asn Thr Thr Ile Leu Thr Asn Cys Cys
 190 1 5 10 15
 192 Gln Arg Asn Gln Val Ile Tyr Cys Ser Pro Ser Thr Cys Leu

RAW SEQUENCE LISTING

DATE: 05/03/2005

PATENT APPLICATION: US/10/532,480

TIME: 13:32:22

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

```

193          20          25          30
196 <210> SEQ ID NO: 6
197 <211> LENGTH: 35
198 <212> TYPE: PRT
199 <213> ORGANISM: Artificial Sequence
201 <220> FEATURE:
202 <223> OTHER INFORMATION: Synthetic Peptide
204 <220> FEATURE:
205 <221> NAME/KEY: MOD_RES
206 <222> LOCATION: (1)..(1)
207 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
group or
208     is modified to contain one of the following groups: acetyl,
209     hydrophobic, macromolecular, carbobenzoxyl, dansyl,
210     t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
212 <220> FEATURE:
213 <221> NAME/KEY: MOD_RES
214 <222> LOCATION: (35)..(35)
215 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
216     group or one of the following groups: amido, hydrophobic,
217     macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
218     carbohydrate
220 <400> SEQUENCE: 6
222 Arg Asp Phe Val Glu Gly Val Ser Gly Gly Ser Trp Val Asp Ile Val
223 1          5          10          15
225 Leu Glu His Gly Ser Cys Val Thr Thr Met Ala Lys Asn Lys Pro Thr
226          20          25          30
228 Leu Asp Phe
229          35
232 <210> SEQ ID NO: 7
233 <211> LENGTH: 35
234 <212> TYPE: PRT
235 <213> ORGANISM: Artificial Sequence
237 <220> FEATURE:
238 <223> OTHER INFORMATION: Synthetic Peptide
240 <220> FEATURE:
241 <221> NAME/KEY: MOD_RES
242 <222> LOCATION: (1)..(1)
243 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
group or
244     is modified to contain one of the following groups: acetyl,
245     hydrophobic, macromolecular, carbobenzoxyl, dansyl,
246     t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
248 <220> FEATURE:
249 <221> NAME/KEY: MOD_RES
250 <222> LOCATION: (35)..(35)
251 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
252     group or one of the following groups: amido, hydrophobic,
253     macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
254     carbohydrate
256 <400> SEQUENCE: 7

```

RAW SEQUENCE LISTING

DATE: 05/03/2005

PATENT APPLICATION: US/10/532,480

TIME: 13:32:22

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

```

258 Arg Asp Phe Ile Glu Gly Ala Ser Gly Ala Thr Trp Val Asp Leu Val
259 1           5           10           15
261 Leu Glu Gly Asp Ser Cys Leu Thr Ile Met Ala Asn Asp Lys Pro Thr
262           20           25           30
264 Leu Asp Val
265           35
268 <210> SEQ ID NO: 8
269 <211> LENGTH: 35
270 <212> TYPE: PRT
271 <213> ORGANISM: Artificial Sequence
273 <220> FEATURE:
274 <223> OTHER INFORMATION: Synthetic Peptide
276 <220> FEATURE:
277 <221> NAME/KEY: MOD_RES
278 <222> LOCATION: (1)..(1)
279 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
group or
280     is modified to contain one of the following groups: acetyl,
281     hydrophobic, macromolecular, carbobenzoxyl, dansyl,
282     t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
284 <220> FEATURE:
285 <221> NAME/KEY: MOD_RES
286 <222> LOCATION: (35)..(35)
287 <223> OTHER INFORMATION: The carboxy-terminal amino acid residue comprises a carboxyl
288     group or one of the following groups: amido, hydrophobic,
289     macromolecular, t-butyloxycarbonyl, lipid, polyethyleneglycol, or
290     carbohydrate
292 <400> SEQUENCE: 8
294 Arg Asp Phe Ile Glu Gly Val His Gly Gly Thr Trp Val Ser Ala Thr
295 1           5           10           15
297 Leu Glu Gln Asp Lys Cys Val Thr Val Met Ala Pro Asp Lys Pro Ser
298           20           25           30
300 Leu Asp Ile
301           35
304 <210> SEQ ID NO: 9
305 <211> LENGTH: 35
306 <212> TYPE: PRT
307 <213> ORGANISM: Artificial Sequence
309 <220> FEATURE:
310 <223> OTHER INFORMATION: Synthetic Peptide
312 <220> FEATURE:
313 <221> NAME/KEY: MOD_RES
314 <222> LOCATION: (1)..(1)
315 <223> OTHER INFORMATION: The amino-terminal amino acid residue comprises an amino
group or
316     is modified to contain one of the following groups: acetyl,
317     hydrophobic, macromolecular, carbobenzoxyl, dansyl,
318     t-butyloxycarbonyl, lipid, polyethylene glycol, or carbohydrate
320 <220> FEATURE:
321 <221> NAME/KEY: MOD_RES
322 <222> LOCATION: (35)..(35)

```

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 05/03/2005

PATENT APPLICATION: US/10/532,480

TIME: 13:32:23

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:37; Xaa Pos. 2

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/532,480

DATE: 05/03/2005

TIME: 13:32:23

Input Set : A:\12920.0014.00PC00.st25.txt

Output Set: N:\CRF4\05032005\J532480.raw

L:12 M:270 C: Current Application Number differs, Replaced Current Application Number

L:13 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:1335 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0